



SOIL SAMPLE SUBMITTAL FORM

Account #

A&L Eastern Laboratories

7621 Whitepine Road · Richmond · VA 23237 Tel: 804-743-9401 Fax: 804-271-6446

E-mail: supportale@aleastern.com

Website: www.aleastern.com

Grower/Project Information										Customer Information							
										Submitted By				Charge To			
Field ID		Farm ID		Copy to: ___ Grower ___ Submitter													
___ Master Card ___ Visa		Card #				Exp. Date:		/		Phone #							
E-mail address												Fill In This Section If Recommendations are needed					
Sample ID	Lab Number (Lab Use Only)	S1	S2	S3	S23	S6	SA1	SA3	NO ₃ -N	Texture	Additional Test	Crop to be Grown	Yield Goal	Previous Crop/Yield	Lime Yr.-T	Sample Depth	Check if irrigated
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
															-		___ Drip ___ Sprinkler
Mehlich III Test Packages:											Ammonium Acetate and Bray P Packages:						
S1 - Organic matter, estimated nitrogen release, Phosphorus, Potassium, Magnesium, Calcium, pH, buffer pH, hydrogen, cation exchange capacity, and % base saturation. S2 - Test S1 plus soluble salts and Sodium. S3 - Test S1 plus Sulfur(S), Boron, Zinc, Manganese, Copper, and Iron. S23 (complete test) -Test S3 plus soluble salts and Sodium. S6 - Test S1 plus Sulfur, Boron, Zinc, and Manganese.											SA1 - Organic matter, estimated nitrogen release, Phosphorus(P1, P2), Potassium, Magnesium, calcium, pH, buffer pH, hydrogen, cation exchange capacity, and % base saturation. SA2 - SA1 plus soluble salts and Sodium. SA3 - Sulfur, Boron, Zinc, Manganese, Copper, and Iron . SA23 (complete test) -Test S3 plus soluble salts and Sodium. SA6 - Sulfur, Boron, Zinc and Manganese.						
Special Instructions or Remarks:																	